


**PREPARATION**

1. LOOSEN TOPSOIL OF LAWN AREAS TO MIN DEPTH OF 6". REMOVE STONES OVER 1" AND STICKS, ROOTS, RUBBISH, AND EXTRANEIOUS MATTER.
2. GRADE LAWN AREAS TO A SMOOTH, FREE DRAINING, EVEN SURFACE WITH A LOOSE, MODERATELY COARSE TEXTURE. ROLL AND RAKE, REMOVE RIDGES, AND FILL DEPRESSIONS AS REQUIRED TO DRAIN.
3. APPLY LIMESTONE AT RATE DETERMINED BY THE SOIL TEST TO ADJUST PH OF TOPSOIL TO NOT LESS THAN 6.0 OR MORE THAN 6.8. DISTRIBUTE EVENLY BY MACHINE AND INCORPORATE THOROUGHLY INTO TOPSOIL.
4. APPLY FERTILIZER TO TURF AT A RATE TO SATISFY SOIL ANALYSIS RECOMMENDATIONS.

**LAWN AREA PREPARATION: SECTION**

SCALE: 1"=1'-0"



**INSTALLATION: SEEDED LAWN (PREFERRED METHOD FOR LAWN ESTABLISHMENT)**

1. SEED IMMEDIATELY AFTER PREPARATION OF BED, IDEALLY BETWEEN APRIL 1 AND MAY 31 OR AUGUST 15 AND OCTOBER 15.
2. SEED MIX FOR LAWN RESTORATION:  
 30% FESTUCA RUBRA SSP. COMMUTATA - CHEWINGS FESCUE  
 30% FESTUCA RUBRA 'PENNLAWN' - CREEPING RED FESCUE  
 20% LOLIUM MULTIFLORUM (L. PERENNE VAR. ITALICUM) - ANNUAL RYEGRASS  
 10% POA TRIVIALIS - ROUGH BLUEGRASS  
 10% POA PRATENSIS 'CADET' - CADET KENTUCKY BLUEGRASS
3. SEW SEED AT A RATE SPECIFIED BY SUPPLIER.
4. AFTER SEEDING, RAKE OR DRAG SURFACE OF SOIL LIGHTLY TO INCORPORATE SEED INTO TOP  $\frac{1}{8}$ " OF SOIL. ROLL WITH LIGHT LAWN ROLLER.
5. MULCH WITH STRAW MULCH WITHIN 24 HOURS OF SEEDING.
6. CRIMP STRAW INTO SOIL BY MECHANICAL MEANS OR ANCHOR STRAW WITH LIQUID TACKIFIER.
7. WATER UNTIL ESTABLISHED.

**SEEDED LAWN: SECTION**

SCALE: 1"=1'-0"

**CSI 32 92 00 - 6**  
**SEEDED TURF / GRASS**  
 LANDSCAPE STANDARDS



PRIOR TO CONSTRUCTION, CONFIRM LAYOUT, DIMENSIONS, ADJACENT UTILITIES AND FINAL MATERIALS WITH U OF P OFFICE OF THE UNIVERSITY ARCHITECT. THIS DETAIL TO BE USED AS A GUIDE ONLY. SPECIFIC REVISIONS FOR SITE CONDITIONS AND INTENT ARE THE RESPONSIBILITY OF THE INDIVIDUAL PROJECT DESIGNER.

Facilities & Real Estate Services  
 Office of the University Architect  
 2022