

**Section 08.71.00**

University of Pennsylvania lock standard for lactation rooms.

**A. Lactation rooms**

- a. Schools/Centers have 2 choices to keep lactation rooms locked or unlocked when not in use.
  - i. If locked when not in use the only lock that can be used is the AD200 Privacy
    1. Cylindrical AD-200-CY-40-KP-XXa-XXb-BD-RH/LH OR Mortice AD-200-MS-40-KP-XXa-XXb-BD-RH/LH
      - a. XXa is trim style and should match other locks in the area
      - b. XXb is finish and should match other locks in the area
    2. Locks will be programmed with
      - a. University Lactation code
      - b. School Lactation code
      - c. Individual code is desired
  - ii. If unlocked when not in use
    1. The Brand of the lock should match the School/Center and the University lock standard.
    2. The lock function will be privacy with indicator trim
      - a. Corbin ML2030 or ML2060
        - i. Indicator will be 720F61 x Finish
      - b. Schlage L9044 or L9444
        - i. Indicator will be coin turn or emergency key
        - ii. Wording L283-722
        - iii. Do not use Legacy indicator
    3. Key override is not approved except in the Medical School and by special approval by the university lockshop because special keying is involved.
  - iii. Multi-stall
    1. Cylindrical AD-200-CY-70-KP-XXa-XXb-BD-RH/LH OR Mortice AD-200-MS-70-KP-XXa-XXb-BD-RH/LH
      - a. XXa is trim style and should match other locks in the area
      - b. XXb is finish and should match other locks in the area
    2. Locks will be programmed with
      - a. University Lactation code
      - b. School Lactation code
      - c. Individual code is desired
  - iv. No other solution can be used on new construction for existing conditions an indicator deadbolt with lockshop approval can be used in emergency.

The FRES Office of the University Architect office and Design & Construction should be consulted when making changes to or creating lactation rooms.

The University lockshop can be contacted through the Project Manager or Area Manager or at 215-573-3438 if your questions fall outside of that area.